


Urban Life Training & Reality Assessment Teen Choice



AIDS Patient infected with Herpes




ARVs Save Lives of Many




Antiretroviral drugs prolong lives of MANY, but

- → Side effects, expense & strict, "medical menu"
- Reduce HIV spread through taking med's?
- → Half don't know they're infected! 2015 UNAIDS World AIDS Day report



Linked by chains of "affection/infection"?

Each dot represents boy or girl at a midwestern HS. Lines represent sexual relationships that occurred over 18-month period.




- → Chain of 288 one-to-one sexual contacts. Even those with I partner indirectly linked to 286 others.
- → What about sexually active at YOUR high school? WHO & HOW MANY are they connected to?
- → Nearly half who abstained NO RISK


Bearman, PS, Moody, J, & Stovel, K. Chains of Affection: The Structure of Adolescent Romantic and Sexual Networks, *American Journal of Sociology 110 (1)*, July 2004: 44-91.




- → 1.2 million DIE of AIDS-related illnesses
- → Nearly HALF don't know they're infected! **UNAIDS 2015 World AIDS Day Report**

Chlamydia





- 50% infection/encounter
- Painful pee, itching, discharge, often "invisible"
- Without treatment, Pelvic Inflammatory Disease
- Teenage girls- higher risk than older women




- ↑ Scarring of Fallopian Tubes interferes with fertilization & movement of egg to womb
- Without treatment, can cause sterility

Human Papilloma Virus










HPV type 14

- I in 4 females ages 14 to 59 infected
- Some strains cause genital warts
- Other strains cause oral, anal, penile & cervical cancer (which kills 200,000 women each year worldwide)
- Teen girls 200% higher rate of cervical cancer as adults due to immaturity of cervical lining, # of partners

Oral Sex, HPV & Throat Cancer- A Woman's Story



10,000

teens infected with an STD EACH DAY

4 in 10


sexually active girls are infected with an STD

Forhan, S.E., et al. (2009) Prevalence of Sexually Transmitted Infections among Female Adolescents Aged 14 to 19 in the United States. Pediatrics 124 (6), 1505 – 1512.

-Condom Failure for STDs higher?

- > STDs can infect both sexes
- > STDs transmitted ANY DAY
- Herpes, HPV spread by skin-to-skin contact, not just in area covered by a condom

HIV Infections Despite Condom Use



Mark D.C. Guimaraes, et al., Rio de Janeiro Heterosexual Study Group, "HIV Infection among Fen of Seropositive Men in Brazingerican Journal of Epidemiology. 142, No. 5, 1995.

What 's wrong with you?

There's nothing wrong with me. Let's keep it that way!

You don't know what you are missing.

Yes, I do. I'm missing AIDS, STD's, pregnancy, a ruined future & baby mama drama!.

Aren't you

Having sex doesn't prove manhood.

It's because I care that I want to wait.



Urban Life Training & Reality Assessment Teen Choice