

west virginia department of environmental protection

Environmental Enforcement 601 57th Street SE Charleston, WV 25304 Telephone: (304) 926-0470 Fax: (304) 926-0488 Harold D. Ward, Cabinet Secretary dep.wv.gov

December 8, 2023

Horus West Virginia 1, LLC Attn: Luise Polo Gomez 110 Front Street Suite 300 Jupiter, Fl 33477

CERTIFIED RETURN RECEIPT REOUESTED9489009000276573846997Re: Plan of Corrective Action

Dear Luise Polo Gomez:

West Virginia Department of Environmental Protection (WVDEP) has received your First Biweekly Report, dated November 23, 2023, which was submitted in regard to Order No. 10223. In previous correspondence, dated November 17, 2023, WVDEP denied Horus West Virginia 1, LLC's proposed Plan of Corrective Action (POCA), which was submitted to fulfill the requirement described in Item No. Two (2) under the Order for Compliance section of the Order. WVDEP determined that the previously submitted POCA, dated November 4, 2023, was not acceptable due to the deficiencies noted below:

- The proposed POCA did not fully address each of the violations outlined in the Findings of Fact section of Order No. 10223.
- There was no discussion of erosion and sediment control in the "Idle Areas" Section of Page Two (2). The Section included descriptions of construction activities, but no corrective measures were outlined.
- The proposed POCA did not include any provisions for proper sediment basin maintenance.
- While the proposed POCA included a commitment to final stabilization upon completion of the project, it did not include provisions for temporary seeding and mulching.
- The proposed POCA stated that outlet markers would be placed upon final completion. However, the WV/NPDES permit requires that outlet markers be in place during construction.
- Order for Compliance Item No. Two (2) requires that the POCA include provisions for proper remediation of all areas identified in Order No. 10223 where conditions not allowable were observed and documented in waters of the State, as defined in WV Legislative Rule 47CSR2 Section 3.2. In addition, Order for Compliance Item No. Two (2) requires that the POCA include provisions for submittal of a report which documents that proper remediation of the aforementioned areas has occurred. The proposed POCA, however, did not include these required provisions.

Promoting a healthy environment.

• The proposed POCA did not include a specific schedule for completion of corrective actions.

On December 4, 2023, WVDEP personnel conducted an inspection of the site. During the inspection, WVDEP personnel determined that compliance had not been achieved. Deficiencies noted during the inspection include, but are not limited to, the following:

- The installed concrete construction entrances were not the equivalent of the rock construction entrance Best Management Practice (BMP), which resulted in track-out onto the public roadway.
- The majority of the sediment trapping structures on site had been removed and converted to permanent stormwater management ponds. Other trapping structures that were not converted had been removed. However, the site remained disturbed; therefore, the trapping structures described in the approved Stormwater Pollution Prevention Plan (SWPPP) are still required to be properly installed and functioning as designed.

Upon review of the First Biweekly Report, WVDEP personnel determined that Horus West Virginia 1, LLC has not provided ample evidence that proper actions have been implemented at the site, and these deficiencies were reflected in the observations made by WVDEP personnel during the recent inspection.

Therefore, the requirement to submit an approvable POCA, with a detailed schedule for achieving compliance, remains outstanding. As such, within ten (10) days of receipt of this correspondence, Horus West Virginia 1, LLC shall submit a revised POCA that addresses the aforementioned deficiencies. Failure to submit an approvable POCA is a violation of the Order. The POCA shall be submitted to:

Chief Inspector Environmental Enforcement - Mail Code #031328 WVDEP 601 57th Street SE Charleston, WV 25304

Should you have questions regarding this matter, please contact me at (304) 926-0470.

Sincerely.

David C. Simmons Assistant Chief Inspector

cc: Brad Wright, Chief Inspector, EE (via e-mail)
 Laura McGee, Environmental Resources Program Manager, EE (via e-mail)
 Cindy Blugerman, Environmental Resources Specialist, EE (via e-mail)
 Amaris Elliott, Environmental Resources Associate, EE (via e-mail)
 Tim Casto, Environmental Inspector Supervisor, EE/WW (via e-mail)
 Keith Allison, Environmental Inspector, EE/WW (via e-mail)
 Shyrel Moellendick, MSSS, EE (via e-mail)

NOV 30 2023

ENVIRONMENTAL ENFORCEMENT CHARLESTON

TO: Chief Inspector Environmental Enforcement – Mail Code #031328 WVDEP 601 57th Street SE Charleston, WV 25304

FROM: HORUS WEST VIRGINIA 1, LLC 615 Crescent Executive Court Suite 130 Lake Mary, FL 32746

23 November 2023

<u>Ref.: Second Response to Order No. 10223 issued by the director of the Division of Water and</u> <u>Waste Management – First Biweekly report</u>

Dear Sir, Madam,

We refer to the Order No. 10223 issued by the director of the Division of Water and Waste Management under the authority of West Virginia State Code 22-11-12, dated October 19, 2023 (hereinafter referred to as the "Order").

We refer also to our response to the Order, dated November 3, 2023.

Continuing with our commitment and efforts to solve every issue reported in the aforementioned Order, we have prepared the first biweekly report, attached herewith as Annex A, providing evidence that the proper actions that are been implemented.


We will continue monitoring the actions and activities taken by the Contractor, providing subsequent reports for your reference.

Do not hesitate to contact for any further information.

Yours sincerely,

Horus West Virginia 1, LLC

Martin Parizek





Objective

Follow up of the report HOR_RPT_WVR111837_01

Construction entrances

Concrete permanent accesses are under construction.



Figure 1 - Section 1 access





Figure 2 - Section 2 access

CONTRACTOR:		DOCUMENT: HOR_RPT_WVR111837_02
HIGH HORIZONS PROJECT WVR111837 - Order of Compliance		REV: A1

Road cleaning

New piece of equipment on site to be used in Kabletown Rd during rainy days.



Figure 3 - Road cleaner

REV: A1	eonsilqmoD to	HIGH HORIZONS PROJECT WVRIII1837 - Order o
росимеит: Document: Document:	obqeueldy crient:	соитястоя: СОИТ АСТОЯ: Соитястоя:

November 22nd rain event WW, was expected in Charles Town, WV

17.	1	1+1		-• 1	tere cost executed and
**	-	.191	• 4	+ c	loca interf more in his
12	-	1 22	é	× 2	the that the street shirtless
::	÷		215	N 2	1110 11011 1004 32100 51115pory
21	÷	.14		N U	fore share and the send these
23	-	.03	11	10	ties duos mad essent diera
24	-	.0	23	N 2	1115 LIVES (0.04, 3213/5 EESISTON)
11		.8	11	- 9	1119 LIPIT (004, 3210.0 2010004)
\$1	-		**	**	THE REAL PARTY POWER POWER
r.	1	-1	52		step ignes with second purse
ξi,	-	.0	53	~ 0	ברנונה הניכבה חבור בסומי במונה
r .			52		tree into ectors equito
4		3r	= 1	→ E	laterrist events Hp.
21		æ	11	→ c	base many events and
12	-	1.	11	-+ C	1003 ILD1 829512 313 *
	1	1*	1	-++	less trait stendadated
75		x	1.0	c	DAVA LED A MARKED AT
10	-	æ			ties areas used abasic and
50	100	.5		-1	1111 11/11 11 64 12111 115"
15	-	c			tree man event effect
10	7	nî.		-+ 0	1000 1100 0200 0200 0200 0
20	-			~ (1111 and a 44 11110 315*
10	-			·• (1563 m 64 3232/C 213-
:2	-	z		- t	1203 11 01 0203 12 11 1
Real and		aut.	44 814.	1-4 34668 14.92	1483 I 455

Figure 4 - Weather Forecast





Figure 5 - Rainfall gauge




Figure 6 - Nov 21 record

.

CONTRACTOR:	CLIENT:	DOCUMENT:
GRS	opdenergy	HOR_RPT_WVR111837_02
HIGH HORIZONS PROJECT WVR11183	REV: A1	

Pond 14

Pond 14's outlet was blocked to avoid water onto Kabletown Rd.



Figure 7 – Retained water in Pond 14

Pond 6

No dirt water has been detected onto Charles Town Rd from Pond 6.



Figure 8 - Pond 6 Outlet

CONTRACTOR:	CLIENT: opdenergy	DOCUMENT: HOR_RPT_WVR111837_02
HIGH HORIZONS PROJECT WVR111837 - Order of Compliance		REV: A1

Appendix 1: Contains the awarded proposal for additional seeding that will be delivered to the plant shortly for further stabilization.

1001 (0,0)(01)
• Farel area sider risk includes pledmont area cullem blend solar polinator mix of (40) US/AC with nysprass cover crop or (20) US/AC, stater mix testister of (200) US/AC, and faor much at (200) US/AC, All materials will be blended as a twny & opelical homogeneously. Assumes access for large hydrosening truck between ponel arrays and includes providing table to access the large thydrosening truck between ponel arrays and includes providing table to access the large mix includes clearly provided useding gene consisting of blended seed mix at (53) US/AC. The or (200) US/AC, stater mix testister of (200) US/AC, and ther much at (1500) US/AC. All materials will be blended as a dury & applied homogeneously. Assumes application area is open terrain and materials may be applied homogeneously. Assumes application area is open terrain and materials may be applied hom huck mounted sprayers.
• Itydraulic eration control products (PECF) are provided in the add at section for consistration at substitutes to roled eration control blenket matting.

1



Blake Solar

Gransolar E6126

Cecilia Hernández cihernandez@gransolar.com 9/14/2023

Muller, Inc. 400 N Washington St, 3rd Floor, Fails Church, VA 22046 O: 703-560-4040 F: 571-500-4847 estimating@mullerec.com www.mullerec.com

er Erosion & Site Services, Inc. is one of the largest and most in re We Work: The entire Mid-Atlantic including DC, MD, VA, W We Work For: Site Development/Heavy Highway/Infrastruct. emment Agencies. Homebuilders and Property Managers pment We Own: Combination Sewer Cleaners, Jet Vac truck	
EROSION CONTROL	BOND RELEASE
Super Silf Fende & Silf Fende	Wet Ufility Punch Work
Hydroteeding	Sidewak/Curb Remove and Replace
Temporary Seed & Straw/Mulching	Sidewolk/Gurb Installation
Slope Stabilization	Asphait Patahing & Asphait Crack Hot Sealing
Matting/Blanket Installation	Landscaping Pruning and Replacement
Wash Rabks & Construction Entrances	Top Soil & Soci Installation
Inlet/Outlet/Outfall	Man and the second s
STORMWATER MAINTENANCE	STORMWATER INSTALLATION
Maintenance on all Stormwater/BMPs	Stormwater Facility/BMP Installation.
Jet Voc Trucks	Value Engineering on All BMPS
Muck out Pands	Underdrain Instali on VDOT/MDOT/DDOT Jobs
Drainage Repairs	Starn Pipe Installation
Stormwater Vault & Riter Cleaning	Pana Lining/Baffle Board/Gabion Basket
Pipe Cleaning	Downspout Drainage Systems
Flush Trucks	a management of the second
Completion of Maintenance Reports Actual Maintenance	Research the second
MISCELLANEOUS SITE SERVICES	STORMWATER INSPECTIONS & REPAIRS
Hydroexcovating	COTV
Tree Protection/Safety Fence	Pipe and Structure Patching/Forging
Jet Voc Trucks/Flush Trucks/CCTV	Pipe Unit stock and stock
Dump Trucks/Water Trucks	Pipe Repairs & Dig Ups
Poot Pruning	Drainage/Washout/Sinkhole Repairs
Bopcat/Mini Excavator Services	PE Sealed Inspection Certifications
Grading & Fine Grading	PE Sealed As-Built Certifications
Street Sweeping	See Land address in the Arthree Man

Muller, Inc. | 400 N Washington St, 3rd Floor, Falls Church, VA 22046 | 703-560-4040 | www.mullerec.com



Pipe Cleaning/Inspection/Repair | Stormwater Maintenance mullarat.com | 400 N Washington St. 3rd Fl, Falls Church, VA 22046 | 703-560-4040 FURNISH & INSTALL UNIT PRICE PROPOSAL JOB NAME: Blake Solar

CUENT: Gransolar PRIMARY CONTACT: Cocilia Hernández EMAIL: cihernandez@grarsolar.com ESTIMATE #: E6126 LOCATION: Charles Town, WV PLANS DATED: Not Provided PROPOSAL DATE: 9/14/2023 PREPARED BY: Jake Allison

SCOPE OF WORK

Muller, Inc.

 Panel area solar mix includes piedmant area custom blend solar polinator mix at (40) LBS/AC with ryegrass cover crop at (30) LBS/AC, starter mix tertilizer at (200) LBS/AC, and fiber mulch at (500) LBS/AC. All materials will be blended as a stury & applied homogeneously. Assumes access for large hydrasocaling truck between ponel arrays and includes providing abor to apply using hose while panels are fumed away from application area. No panel area mix includes client provided soading spec consisting of blended seed mix at (95) L55/AC, lime at (2.00) TN/AC, slarter mix ferlitzer at (200) L55/AC, and fiber mulch al (1.500) LBS/AC. All materials will be blended as a stury & applied homogeneously. Assumes application area is open letrain and materials may be applied from truck mounted sprayer.

· Hydraulic erosian control products (HECP) are provided in the add all section for consideration as substitutes to rolled erosion control blanket matting.

Specialized. Sustainable. Site Services.

This is a furnish & Install (unit price) proposal and not a lump sum proposal. Total price will increase il quantities increase.

*Any increase in fuel price above and beyond baseline price of \$3.70 per gallion as referenced within ela gov diese! (on-highway) all types lower Atlantic area within, may result in a change order from Contractor to client.

- Fvel surcharge will be blied in addition to any applicable minimum mobilization or billing total if minimum mobilization is met. "At any point during project, if there is an increase in any material cost in excess of "froject Material Treshold" from the date of Muller proposal, Muller, of its sole discretion, reserves right to issue a material cost change order to client. Project Material Threshold = 3%

Wooe rates are excluded.

Assumes standard working hours between 7:00am and 5:00pm Monday through Friday.

Assumes all work is continuous regarding minimum mobilization.

Seed germination and survivability rate is not augranteed.

Excludes: soil inspection/tasting, topsoiling/cmendments, seedbed preparation, time incorporation into the soil, straw mulch, watering, maintenance, or warranty.

Assumes dry form lime may be substituted for pelletized material for no panel crea. Dry form lime of (75) LBS equals (1.00) TN of pelletized. Lime is excluded in panel area. Muller is not responsible for structures, materials, vehicles, or similar that may get seed materials on them if left in the area during seed application.

Assumes a water source is available on-site and readily available within the confines of Mutler's work area. Time spent traveling to a water source may be billed additional.

	and Non-Underdrals	a) for Each Time we are Scheduled to Complete Work		5.00 Acres	
	MAN 1 AV 1999	IE CONTINUOUS & CAVALASIS TOON A GRAAT (DATIE			
Seeding - Permanent	62	No Panel Area			
Seeding - Permanent	01	BASE BID Panel Area Solar Mix	的。如此的		
ITEM		SPECIFICATIONS/DESCRIPTION	UNIT PRICE Q	UAMITY U/M TOTAL PRIC	ele l

Muller, Inc. | 400 N Washington St, 3rd Floor, Falls Church, VA 22046 | 703-560-4040 | www.mullerec.com

Move fee may increase if the dista	ance exceeds 1 mit					e).
		and cannot be combined with other scopes of work or line iter to the sequence of a UD mobilization, they will be blied on a				
		ADDITIONAL ALTERNATES				
Mulch - HECP Type 2	01	(2,500) LBS/AC Terro-Matrix SMM	\$0.61	-	SY	-
Mulch - HECP Type 3	02	[3,000] LBS/AC ProMatrix EFM	\$0.75		54	-
	l		ADDITI	ONAL ALTERNA	TES TOTAL	

Genera

- "General" torms & conditions apply to all work types and sections listed below. Unless stated otherwise, proposal <u>excludes</u> the tollowing:

 Wage role & certified payrol regulations.
- 2. Changes to scope of work or quantilies.
- Bond rate, if required, Muller is fully capable of bonding the entirety of our proposals total amount, 3
- Buy America material requirements.
- 5 Warranty requirements.
- D.C. licensed heavy equipment operators.
- Work hours ouls'de of standard hours (Monday through Friday from 7am to 5pm). 7.
- Overtime, night, or weekend rates.
- Additional papework, procedures, training, badging, security clearances, background checks, Identification requirements, cilizenship requirements, or any other requirements caused by government or other non-standard jobs.
 Attendance of any meetings or training that we are asked to attend when we are not actively on-site completing work that same day.
- 11.
- Any and altrequired meetings/training above 30 minutes per day. 12.
- Any and allon-site craw downlime. Including waiting on traffic control to be set up. Downlime on job due to lack at access, cloaring, waiting on client, or any other item that is outside of our control. 13.
- 14. Any liquidated, consequential, or any other damages or penalties related to this work.
- 15. Any provisions related to the Prime or Owners contract
- Any force accounting work. All Change order work to be performed at agreed upon pricing or Muller's houry roles. Any and all permits, applications, acquisition, coordination, fees, or similar. 16.
- 17.
- 18.
- Mainlenance and removal of any erosion controls or other leatures. Damage or displacement caused by extreme weather or acts of God. 19.
- 20.
- Traffic control, podestrian detours, dedicated flaggers, or similar. Pavement striping or marking. Temporary or permanent. 21.
- 22.
- Working on slopes close to or greater than 2:1. Work in snow covered or frozen ground.
- 23. Work in excessively muddy or well areas.
- 25. Maintenance of storm flow. Including dewatering, diversion, pump cround, ground water/notural spring conflicts, or similar,
- 26.
- Locoting or damage to private or unmarked utilities. Utility conflicts, relocation, lest pitting, capping, abandonment, or removal. Excludes all coordination with utility companies for shutoff or continuation of utility services. 27.
- Mulch/mat/stone access. Rehab of any patential access points is excluded. Demolfion or replacement of features not specifically montioned. Any sections of sidewalk, curb/gutter, or similar that are deemed in poor condition but not included 28. 29.
- as removal or replacement are excluded.
- 30.
- Backfilling for all concrete or asphalt work. Monitoring of existing buildings or structures. Price, chains, or port construction, Muller shall not be held lighte for one damage to existing dwellings or structures.
 - Muller, Inc. | 400 N Washington St. 3rd Floor, Falls Church, VA 22046 | 703-560-4040 | www.mullerec.com

31. MUSERING OF EVERY DURANCE OF STUDIES. FILE, DURING, OF KONCONSTRUCTION, MORE STORED DE REPORTED DURANCE OF UNDAGE TO EXSTING OF BEING OF STUDIES.

At necessary demoilien or clearing of asphalt, concrete, woody debris, construction materials, or similar which interfere with Mutter's work shall be completed (by others) prior to Mutter's mobilization.

For all projects which exceed a 12-month duration past the date of this proposal, Autler reserves the right to add a minimum of 3.00% in escalation and for each subsequent

your interventes. If any If any moterial cost increases in excess of "Project Material Threshold" or fuel cost increases beyond "baseline price" occur from time of project increases beyond "baseline" occur from time occur from tin time occur

All pricing assumes our fucks, equipment, and employees have access to immediate working area. We reserve the right to bit clean for additional time spent transporting

Multer will e-mail at project daily job lickets to client and ticket quantities/liens shall be deemed 100% approved for payment perrates included within this proposal (or per Multer standard takes if proviously not provided) if nothing is disputed by client within 48 hours of sont time of e-mail. The only mothed for client to dispute quantities on daily job tickets is by e-mailing both the Multer Project Manager and Sean Philbrick at <u>uniticication ultered corr</u> within 48 hours of time e-mail's sent by Multer.

Muler standard raise is previously no provided in Forming is displayed by clearly with a host soft in this displayed to the first intermediate the standard raise is previously no provided in Forming is displayed by clearly with a host soft intermed that the cleant or and is sent by Muler. Muler bears no responsibility, liability, contractual or financial exposure for any supervision, labor, other overhead that the cleant, or any other party, has on-site. If work cannol be performed due to any fault of Muler any time, no back charges of any kind to Muler shall bears no responsibility, liability watarower. In the event that any suit or action is instituted under or inrelation to this Agreement, including without limitation to enforce any provision in this Agreement, the prevailing party in such cliques that be entitled to recover from the testing party and expenses of entorcing any right of such prevailing party under or with respect to this Agreement, including without limitation, such reasonable fees and expenses of attorneys and expenses, which shall include, without limitation, all fees, casts and expenses of attorneys and expenses of attor

Multer does not guarantee and without be held liable for any schedule dates or completion dates communicated to client or client's project team for any and all services

Time spent relocating to other work areas and any loading and/or unloading time associated with relocation(s) may result in downtime being billed on a T&M basis. For any situations where a daily job licket is provided by Muler to a client representative (whether by e-mail, mail, or in person), all FAI measurements and all T&M basis. Hours/matter/aquipment hours provided within the daily job licket are deemed accurate and approved. Whether the licket is signed or not. Unless client responds in writing outlining the disagreement within 48 hours of receipt of the flicket.

Subsurface or surface Mechanical, motorized, or hydraulic equipment that may be needed to remove a manhole or structure lid, door, grate, etc. to gain access. All work relating to institu control/lighting conduit, cables/detection devices, intigation, or similar.

mention and an end of a contract of the second

Muller, Inc. | 400 N Washington SI, 3rd Floor, Falls Church, VA 22046 | 703-560-4040 | www.mullerec.com

and a second second

.

provided due to numerous variables out of Multer's hands. Clent agrees that any amount not paid within 30 days of Invoice date will carry interest at the role of 1.5% per month, both before and after judgement, and further agrees to pay all costs incurred in collection, including alterney's test in the amount of 1/3 of the total balance due if this account is piaced with an attamy for callection, whether suit is filed or not if clent dates not sign Multer's proposal. Multer reserves the right to add/modify terms & conditions during contract review. For al extra work that client directs Multer to complete (that is not within above referenced scope of work section). Multer witibili the client on a T&M basis unless a separate agreement is treached for additional scope of work prior to the work beginning. Client expressly agrees to submit to personal jurisdiction in VA and agrees that the forum for any itigation pursuant to this agreement or any other calification by one for any other calification in the laws of Vincing. Virginia. Mullershall have no obligation to begin or continue performance until adequate credit and funding information is provided on request of client.

.

All pricing is subject to change 30 days after proposal date.

materials and completing work due to lack of access.

provided due to numerous variables out of Muller's hands.

Unless noted in our proposal, all work is to be installed per field rep of client. Not per plan.

- Client shall make a careful inspection at the time of delivery. Client's failure to give withen notice specifying any claim within ten (10) days of delivery shall constitute an unqualified acceptance of the labor and material delivered and a S.
- voiver of all claims. Multer will not be liable for any damage, warranty, or remedy and back charges will not be accepted without prior written notification specifying any defect, an opportunity to view and report, replace or otherwise cure, and approval by Multer. T.
- Client opres that all hunds owad to Client from anyone or received by Client relating to materials supplied by Muller shall be held in trust for the benefit of Muller, to the extent that sums are justly due to Muller under this Agreement. Client agrees it has no interest in Trust Funds held by anyone, to segregate and make no use of, except to promptly υ.
- bay Muller.
- Muller to be paid monthly for work in place. Multer to be pold monthly for work in place. FORCE MAJEURE, Nother Party will be liable for any failure or delay in parterning an obligation under this Agreement that is due to any of the following causes (which causes are hereinafter referred to as "Force Majeure"), to the extent beyond its reasonable control: acts of God, accident, riots, war, terrarist act, epidemic, pandemic (including the Covid-19 pandemic), quarantine, civil commotion, breakdown of communication facilities, breakdown of web host, breakdown of internet service provider, natural catastrophes, governmental acts or omissions, changes in laws or regulations, national strikes, fire, explosion, or generalized lack of availability of raw materials or energy. W.
- Time and Material (T&M) Work

32 33.

34.

ear thereafter.

C.

D. F.

G.

J.

ĸ L.

Μ.

N 0. P.

Q.

appea's.

- A for al I&M/rentalwork, uniosis cinerviso noted, we will bill our cleants two-way travel time and all equipment to be balad the anima time ansite. Whather being activally used or not, Dispatch toecalian from Muter's years at 9460 Howkins Drive, Manassas, VA. Muter crows loave our yard at 3x45cm. Time spent waiting upon anival to site will be billed.
 B. For at I&M/rentalwork, and all downtime, including but not limited to downtime due to client direction or waiting on information to begin or continuing working shall not be doducted from any billable hours. Additionally, Muter crows may take a reasonable tunch break (30 minutes or less) and this time shall not be deducted from billable hours.

ion, Trenching, and Grading Excav

- station, instance and attemps Excludes compaction/geolechnics lessing or coordination, proof rolling, design/enginating strices, shop drawings, or any guaraniced testing results. Excludes excervation of rock, repint/concrete, debts, overly compacted earth, still cloy, salurated sols, or singler. Uncleasified excervation is excluded. Assumes all work occurs in normal working conditions and all cut is deemed clean, dry, and stockable.
- А. В.
- ň
- eccus is harmat wanting conductors and all cur is deemed clean, any, and stactable. Prodor material requirements are accuded. Uniters noted alterwise, excludes off-site export of any excavated or not-excess material. If it material is required, assumes at material may be disped from cut material. Undercutting is excluded. Assumes subgrade is subbite for fit & compaction. Excludes grading to predific tokeranes, or subbite for fit & compaction. Excludes grading to predific tokeranes, or subbite proparation within specific tokerances for parmanent features i.e. asphat, concruite, etc. Regardless of specifications, tokerances shall not exceed +/-0.2*. E. F.

- SB fence and Other Fence or Perimeter Control Types A. All tence installation pricing assumes a mini excavator may be used and installation is continuous. Price is subject to change for non-continuous installation. B. Excludes hand tranching, post driving, or similar work for any fence installation. C. Stabilization of tench thes partial to installation from tranching is available.

- Layout requiring inucia or equipment to inaverse across site areas (currently stabilized or not) excludes regrading or stabilizing due to access requirements. D.

Seeding, Mulching, Sodding, and Roat Pruning

1Å

- ang, swanng, socuring, and soor many
 Seed gamination and survivability rate is not guaranteed. Unless the below qualifications are not.
 Topsel samples are test and approved by Multier plant to soocing.
 Molintenance watering is included in Multier plant to soocing.
 Molintenance watering is included in Multier plant to soocing.
 Regardless roll to a standard to a soor many second by an analysis of the soor many second by Multier plant to soocing.
 Regardless of what is included in Multier plant to soocing.
 Regardless of what is included in Multier plant to guarantee a certain percentage of grass growth or establishment.
 Excludes soil Impoction/testing, topsoling/ammament, socobed preparation, time incorporation into the soil, watering, mathematics, or warrantly.
 Straw mulch is excluded unless specificatly stated. Otherwise mulching will consist of fiber mulch with fact. Sood mix will be applied as a homogeneous stary. Separate 8. C
- notentions on overladed.
- All hydrosocial and socialized in the second social pricing assumes a minimum of (200) continuous acres (unless noted etherwise) is available per mobilization and that areas are occessible by hydrosociar and strawbiower. Otherwise we reserve the right to bill on a T&M basis. D.
- Decession by indecession and statutions, Cultaring we base of internal in the last of an exact Mular basis of the application area, Price is subject to change it hydrauls mularities and hydrauls mulch may be mixed and applied homogenously as a surry and through a single pass of the application area, Price is subject to change if hydrauls mulch mula be applied independently. All pricing accides show mulch unless otherwise noted. All hydrospecting/facting pricing assume there is owner source available on-site. Additional tess will apply if MESS needs to have of the for a water source. All seed and show work completed by hand may billed on a TAM basis. E.
- G
- All seed and shaw work completed by hand may billed on a T&M basis. For all VDOT and applicable state highway seeding: pricing assumes seed, time, and fertilizer are applied as a homogenous skmy via the hydroseeding method. VDOT seeding unit prices do not stand atome. All pricing assumes seed, time, and fertilizer are applied during all mobilizations. Prices are subject to change if any mix components are removed or modified from VDOT standard application tests. For all VDOT, applicable state highway projects, or other projects requiring time application in excess of (200) LBS/AC, time application assumes day form materials an acceptable allemate to prolations of a statute vertical, or other projects requiring time application in excess of (200) LBS/AC, time application assumes day form materials an acceptable allemate to prolations of a system, materials, which are may get seed materials and revea during seed application. Sod installation excludes grading, topsail work, eradication of existing vegetalian, sel amendments/ertilizing, watering (other than initial), warranty, or maintenance. All root purphing shall be performed without the supervision or implementation of a cettilod abouts. Root purphing shall be performed without the supervision or implementation of a cettilod abouts. Root purphing shall be conducted without and purphing, wood chip/mulch mats, watering, root burkap wrapping, tree wound dreasing, tunneling/boting, trench firing, et hallo work, or similar. H. L
- T.
- ĸ.
- M
- N. O.

Bioretextion/SWA Facility

- A
- Interstitution of the second se

Muller, Inc. | 400 N Washington St, 3rd Roor, Falls Church, VA 22045 | 703-560-4040 | www.mullerec.com

- cety scentilized CS CA IACIUSCA. or aryining not spec
- Assumes a sufficient stocopile area is available within 30 teet; of instat area, area is al proposed subgrade elevation (when excavated by alters), area is a proposed final В. surface elevation (when encovaled by Muller), area is stabilized upon mobilization, and spais have been removed by othos.
- C. Pond side shoes shall be stabilized by others.
- Excludes repet work to or accepting any responsibility for any damaged curb/guiller, concrete, or asphal that may occur from construction of stormwater BMP tectities. D.
- E. Assumes immediate work area is accessible to an road lucking for maturial do ivertes.
- Assumes (actiby is being built in the carect sequence. Otherwise we cannot be hald responsible for any faitures or issues with facility as a result of constructing out of F. 0.000
- Assumes we are awarded all locilities within the proposal and all may be buill all the same lime (are mabilitation for all locilitios) unless atherwise specifies. G. H.
- r
- Fic al draining pipel for the mean and ficture on a summe 0.3% some is required unless otherwise noted on the bicretenition detail provided by clean. Warranty is excluded in our installation of facilities due to tacifiles being daugned and specified by others. Regardless of whether the plans or any project related Listaturo specifies double washed since, pricing does not include double washed stone unless specifically referenced ĸ. In proposes

Post-Construction Stormwater Maintenance

- Process is provided for routine mainterance any. All nan-routine maintenance or repairs identified through inspections or elitenvise noted, are excluded and will be billed additional. Pricing excludes all materials after than what is specifically identified. A,
- Traffic controlls excluded. Assumes work areas may be secured using standard cones any. B. C.
- Vin to change such and wat a decimal wait does not be secure as in subscription of the provide the providet the D. E.
- in da Annual or recurring less are not guaranteed for any specific penad and are subject to change. Multer will notify alent in advance of any price changes. F.
- Underdrain and Storm Drain
- Unlass of member holds, all undergrain pricing excludes:
 Itenching into rect/asphail/concrete/scil-compni, unity conflicts, removel of existing undergrain, all grading, naving eway or relocation of any speits, loading speits
 Itenching into rect/asphail/concrete/scil-compni, unity conflicts, removel of existing undergrain, all grading, naving eway or relocation of any speits, loading speits
 Itenching into rect/asphail/concrete/scil-compni, unity conflicts, removel of existing undergrain, all grading, naving eway or relocation of any speits, loading speits
 Itenching into rect/asphail/concrete/scil-compni, unity conflicts, removel of existing undergrain, all grading, naving eway or relocation of any speits, loading speits Multer after time of installation.
- 8. Line item pricing for installation excludes CCIV inspection. Separate Inelitem pricing may be provided for CCTV inspection.
 - Pricing assumption
 - We have an area to stock the slope within 25 yards of our direct work area. B.
 - Compaction will be completed with babcal/skid sizer and mini excavator without the use of a roller or picte tampes. Area is delivered at firished grade and all trenching occurs in common earth or loase storp.
 - D.
 - E.
 - Area a constant a narrow group cited at an area in groups and in the same of the standing state in proposel. All additional excavation and subsequent franching shall have and beyond these trans dimensions may be charged entro. All tranching shall have the adding grade (as proposed by others) and be dug at a constant depth. Multer shall not be responsible for educting prode, strooling or undercriting for "water", or shallow, Boring under utilities, duct borns, and sindar is accuded. F.
 - under carang or "waves", or smach borng under unters, auch band, and smach is excluded. Assumes sickeoul or layout (via point marings by cient) for any and of understain/andwally/bo/structures, is provided by cient. Our price deas NOI include stakeoul or layout, Assumes cient provides all survey/stakeout, as requested by Mužer. All instalation areas, cleanouts, directioned tow and similar shot bo staked. Assumes were shellhaled por field synaut and clean direction. It synaut is insufficient or incrured, Muder shellhaled fable. Assumes were across Authors to mariners or environment of (14) U understaulistication which ever side any machines are working an. Wark sequence and width shalication Muder's machines to fully turn and during directly into the tranch. G.
 - н

 - Assumes all steneres may be dup skeight on i.e. not tram the sides. Assumes all stene placement & grading for median, sciowait, or striller applications may be accomplished using a mini excevator or stict stoor. Hand raking or grading 1. is excluded
 - ĸ. UD-4 pricing assumes with of excavation no more than 12" and copits of excavation no more than 12".
 - All outliet pipe pricing assumes width of excavation no more linen. 15" and depth of excavation no more linen 3.
- L All outlet pipe pricing essumes width of excavation no more han. IS² and depth of excavation no more than 3. M. Procing stane below pipe is exclused. Assumes all pipe may be total decition of interCavation no more than some backfled over pipe to the top of tench. Unless otherwise specified, attUD pricing excluses any and all perging and care dating at structures. Regardless of any specifications concerning from being installed. With more mobilizations associated with UD is for UD work only. Understant must be call available of a concerning from being installed for the concerning from being installed. All understand pricing which excludes state processes to the tench only and without median/dranoge blanket/sidewark state: taking is included for the characterized. All understand pricing which excludes state processes to be tench. Le, trench only and without median/dranoge blanket/sidewark state: taking is included for the characterized pricing. D. E.

Mullar, Inc. | 400 N Weshington St, Sed Floor, Falls Church, VA 22046 | 703-560-4040 | www.mulleroc.com

amensors only.

Jel/Vac, CCTV, and Hydro Excavation A.

- Unless otherwise noted, the following is excluded: 1. Dump fees or off-site disposal.
 - 2 Demolition or replacement of impervious surfaces i.e. asphalt, concrete, or similar.
 - 3. Stabilization of work areas.
 - 4.
 - Pipeline Assess and Certification Program (PACP) certified inspection/analysis and report submissions. Root outfling or removal of foreign debris that standard jetting may not remove i.e. concrete, asphalt, rock, etc. 5.
 - Ground water conflicts. 6.
- Removal of any potentially hazardous materials if known hazardous materials are on or near Muller's work area client shall notify Muller, in writing, prior to mobilization. Sewage vacuuming, hauling, or disposal.
 All T&M work shall be billed part to part. Dispatch location from Multer's yard at 9460 Hawkins Drive, Manassas, VA.
- For al District of Columbia work, client agrees to provide an on-site water source/meter and grant unrestricted access. Client agrees to pay all water consumption charges C. and fees
- For all F&1 and Lump Sum work, assumes a water source is available on site. It is the client's responsibility to provide a clear list of all runs and structures they want cleared and inspected, if the exact pipe runs & structure ID's are not indicated and E. provided by the client, Multer cannot guarantee acceptance for any cleaning or CCTV inspection. For all CCTV inspections, client shall provide a structure identification list and provide clear written direction of all pipe runs requiring inspection. Downtime shall be bited on a
- F. T&M basis for any F&I or tump Sum pricing. If Muller is contracted to porform pipe joiting or cleaning but is not contracted to inspect the same pipe segments, Muller shall not be held responsible for any pass/feit
- G. designations. The same applies for vice versa situations. Combination Jet/Vac Truck and CCTV (Mainline) includes a (2) man crew only. Unless noted otherwise.
- H,
- Compaction for all backfill cannot be guaranteed. Assumes diract access (within 8') to all work areas and all manhole lids are operational.
- ĸ.
- F&I and Lump Sum pricing assumes single pipe entry & exits of structure locations. For all pipe 45° diameter or less, proposal assumes pipe 6 no more than 5% full of any debris, all any single point along the pipe run,
- M
- For all pipe to define the second states of the second states are second states of the second N. subject to reduced cleaning offorts by means of residual water flow only. For all structures which may be included for vacuuming/sociment removal, assumes debris material does not exceed a 12" depth at the bottom of the structure.
- C.
- CCTV inspection assumes plop sogments at any point during inspection do not require crack measuring in excess of (5) EA per (200) LF. Test pitting via hydro excavalion shall be neat cut to the greatest extent possible. Tolerances shall not exceed 2° in any direction as excavation commences downward, if any excavation areas result in base or sidewait material tailing & additional work required, downline & materials may be billed on a T&M bas's. G.
- Prior to Muller's mabilization, each test pit location shall be feld marked (by others). It utilities are not uncovered of marked locations, additional charges shall be billed for R. each additional lest plt.
- Unloss noted officerwise, lest pill depths are limited to a maximum depth of (6.00) VF. It any test pill depths exceed this depth, each additional foot may be billed a minimum amount of \$85.00 per vertical foot. This rate is subject to change on all non-private jobs or projects with wage scale requirements. S.
- When completing test pits or pot holing services, the tump Sum fee provided includes only the number of test pits stated within proposal unless specifically stated otherwise. If one of these test pits is unable to locate the identified service, and Muller believes it is beneficial to client to client to service. Multer reserves the right to bill client for I. additional test pils on a per each basis for all test pits above and bayond number included within proposal. Proing for additional test pils to be determined by taking total lump sum fee and dividing by number of fest pils proposed.
- U. For all projects which are bond release or punch work related and Muller is repairing an underground pipe or structure, the client is responsible for confirming the repair

Muller, Inc:				,	
Signature					Date:
Acceptance of Proposal - By signing bei Customer/Client: Authorized Signature	low you are agreeing to the or by	prices and Muller Broslan	is authorized to perfo	orm the work as specified.	Date: 11/22/223
Billing Information	DiLouso	de la	- 100	niente	

Muller nc. | 400 N Washington St, 3rd Floor, Fails Church, VA 22045 | 703-560-4040 | www.mullerec.com

Silling Entity (I Applicable) Silling Address Street Acdress City, State, Zip Cade Feterned Silling Method(s) Bredit to Project Manager Bredit to Accounts Payable Hard Copy by Mai Project Manager Contact Information	······································			
Street Address City, State, Zip Cado Preferred Billing Method(s) Bredit to Project Manager Bredit to Accounts Payable Hard Copy by Mail				
City, State, Jip Cade Freturned Biling Method(s) D Small to Project Manager D Email to Accounts Payable Mard Copy by Mail				
Preterned Billing Method(s) D Small to Project Manager Email to Accounts Payable Kard Copy by Mail				
Brneil to Project Managar Brneil to Accounts Payablo tard Copy by Mai				
the the second of the second o				
Name: Pi	hone: (5-mail:
Accounts Payable Contact Information				
Name: Pi	hone: (·	•	6-moit:
Purchase Order Number				
Special Conditions of Invalco				

.

Mutter, Inc. | 400 N Washington St. Srd Floor, Fails Church, VA 22046 | 703-540-4040 | www.mutlerec.com

•



December 21, 2023

Dear Environmental Enforcement:

The following is in response to your request for proof of delivery on your item with the tracking number: **9489 0090 0027 6573 8469 97**.

Item Details	
Status:	Delivered, Front Desk/Reception/Mail Room
Status Date / Time:	December 18, 2023, 1:41 pm
Location:	JUPITER, FL 33477
Postal Product:	First-Class Mail [®]
Extra Services:	Certified Mail™
	Return Receipt Electronic
Shipment Details	
Weight:	4lb, 4.6oz
Recipient Signature	
Signature of Recipient:	GIACONE GIACON
Address of Recipient:	JUZ FRONK

Note: Scanned image may reflect a different destination address due to Intended Recipient's delivery instructions on file.

Thank you for selecting the United States Postal Service[®] for your mailing needs. If you require additional assistance, please contact your local Post Office[™] or a Postal representative at 1-800-222-1811.

Sincerely, United States Postal Service[®] 475 L'Enfant Plaza SW Washington, D.C. 20260-0004